

Oldforge

Trade Mark
"OLDFORGE"
Reg. U. S. Pat. Office

The Story of OLDFORGE "GREY METAL"

Intense heat of the arc from the electrodes in the electric furnace fuses, with iron, seven of nature's purest alloys into liquid steel. A slag is subsequently formed and the molten metal receives a refining process. The melt is tapped into the ladle, poured into molds, and left to harden into an ingot. The ingot is then reheated to rolling temperature, and formed on the blooming mill into a billet, which is left to cool—slowly. Surface defects are removed. The billet is ground and chipped. The remaining heart of the billet is then rolled into long bars, ready for the oldforges.

The alloy thus formed is so inherently tough and fine grained that it may be forged and tempered into a tool for you which will stand the use of time. The amazing quality of OLDFORGE tools begins with the natural ores and ends with a rigid inspection when shipment is made.

Tools bearing the OLDFORGE seal of quality are attractively finished and properly designed; their careful, uniform temper assures you the uninterrupted daily service enjoyed by thousands of the nation's most skilled mechanics.

QUALITY TOOLS

CATALOGUE No. 46-A



Pedigreed
HAND TOOLS



"Oldforge"

Reg. U. S. Pat. Office


QUALITY TOOLS CORPORATION

"Masters In Tool Craft"
NEW WILMINGTON, PA.

Printed in U. S. A.

Oldforge

MUFFLER and TAIL PIPE CUTTER




(Patent No. 2,176,626)

Positive, Patented, Cutting feature, removes metal like a can opener—



New Patented Pipe Splitter—Cuts time in half removing old Muffler and Exhaust pipe.



Increase sales of Mufflers the quick, easy way—

The “CUT” Curls Away From The Work—

No. 172A—Muffler Tool 1-2 ” stock 10” long

Weight per doz. 3 lbs., 8 oz.

Per doz. \$12.00 Each \$1.00

No. 172B—Heavy Duty Pipe Splitter

5-8 X 10, Wt. per doz., 7 lbs. 12 oz

Per. doz. \$13.80 each \$1.15

FORD CYLINDER SLEEVE REMOVER



This unique cutting tool has the same type cutter as shown above. A slice is cut through the length of the cylinder sleeve, allowing the sleeve to collapse and be quickly removed. Fast, simple, economical. Forged from 5-8” alloy 14” long.

No. 172F—Wt. per doz. 15 lbs. Per doz. \$16.80 ea. \$1.40


Oldforge Metal Splitting Tools

The "CUT" Curls Away From The Work

Patent No. 2,176,626

BUSHING CUTTER

A new outstanding tool for splitting bronze and soft metal bushings. The "cut" curls away from the work. Bushings in connecting rods, pistons, spindles, steering sector, housings, etc., can now be removed the Easy way



(Pat. No. 2,176,626)

GENERAL PURPOSE BUSHING CUTTER



No. 72A— $\frac{1}{2}$ " x $7\frac{1}{4}$ ", 2 lb. 8 oz. per dozen
Per doz. \$8.40, each \$.70




MIDGET BUSHING CUTTER


for starter and generator bushings.

No. 72AA— $\frac{1}{4}$ " stock, $4\frac{1}{2}$ " long, 1 lb. 2 oz. per dozen
Per doz. \$7.20, each \$.60

TURRET BODY AND AUTO BODY CUTTER



The same patented principle is used in this fine tool for cutting out all body tops, sides and other body parts.



Long reach thin cut type for Body and Sheet Metal work.

NO. 72B— $\frac{1}{2}$ " x $10\frac{1}{2}$ ", Wt. per doz. 3 lb. 8 oz.
Per doz. \$12.00, Each \$1.00



Cuts Sheet Metal—Pipes—Nipples—




Electricians, Plumbers, Auto Body Repair Men find
this tool indispensable.

HERE'S YOUR GUARANTEE

As our name implies—"QUALITY TOOLS CORPORATION"—the Tools we offer you are Quality Tools. Ever since the Motor Car and the Aeroplane were yet in their Youthful stages and Radio and Refrigeration still Infants, we have been forging a reputation for Fine Tools. We stake our reputation on the basis that you must make more profit with the tool you invest in than we do. The name on the tool is your assurance of a sound purchase. We don't write guarantees—we build them.


FORD VALVE GUIDE LOCK REMOVER



Use this tool to "yank" out those valve locks. It is not necessary to depress valve spring. Simply insert the hook end in hole in the lock and pry it out. Saves valve guide breakage, saves time and tempers on tough jobs.

No. 112 Wt. per doz., 12 lbs., ... Per doz., \$19.20, ea. \$1.60

BRAKE ADJUSTMENT TOOLS (Star Nut Adjustment)



No. 73 Chevrolet and General Motors Trucks

6" overall, $\frac{5}{16}$ " sq. stock, $\frac{1}{2}$ " width

2 lb. 8 oz. per doz. \$7.20 doz., each \$.60

No. 73A Companion to No. 73

8" overall, $\frac{3}{8}$ " Oct. stock, $\frac{1}{2}$ " width

3 lb. 12 oz. per doz. \$7.80 doz., each \$.65


FORD SHACKLE BUSHING REMOVER



Inserts and removes spring shackle bushings on Ford V-8 passenger cars—all models from 1934 to 1942.

No. 110— $\frac{7}{8}$ " stock, 10" length

Wt. per doz. 18 lbs. \$21.60 per doz., ea. \$1.80



Oldforge

Combination 85 and 60

FORD VALVE LIFTER

DOUBLE END


This new distinctive Valve Lifter, designed after careful study of the Ford servicing requirements, gives you both lifters in one tool at a definite saving. The positive lift bar is forged from the most suitable alloy with genuine OLD-FORGE heat treatment. $\frac{5}{8}$ " stock, 26" long.

No. 75C—Wt. ea. 2 1-2 lb.

Per doz. \$36.00 each \$3.00

Single End—FORD—85

Valve Lifter



$\frac{5}{8}$ " stock, 26" long. The extra length gives powerful leverage when needed.


No. 75F—Wt. ea. 2 lbs. 8oz.

Per doz. \$30.00 ea. \$2.50


QUALITY TOOLS CORPORATION
NEW WILMINGTON, PA.
"Masters in Tool Craft"

FLAT GASKET SCRAPERS

LONG FORGED KEEN EDGED PLATED BLADES
OFFERED—WITH PLASTIC AND WOOD HANDLES.



No. 71EE—1" width, 8" blade length—Viscoloid handle.
Wt. per doz. 4 lb. 4 oz. \$12.00 per doz. each \$1.00




No. 71E—1" Blade Width, 8" Blade Length,
13" Overall Length—Wood Handle
Wt. per doz. 3lb. 12 oz. \$9.00 per doz. each \$.75

CARBON SCRAPERS, Double End, All Steel Flat and Curved End




No. 71A— $\frac{5}{16}$ " Oct. stock, 9" length
Wt. per doz. 3 lb. \$9.00 per doz., each \$.75

S-TYPE COTTER KEY EXTRACTOR




No. 79A— $\frac{5}{16}$ " x 6", Wt. per doz. 2 lb. 12 oz.,
Per doz. \$6.00 Each \$.50

HAMMER TYPE COTTER KEY EXTRACTOR




No. 79— $\frac{3}{8}$ " x 10", 4 lb. per doz., \$12.00 per doz., each \$1.00

WATER PUMP PACKING TOOL



No. 78—6 $\frac{1}{2}$ " length, 14 oz. per doz., \$7.20 per doz., each \$.60

SCREW EXTRACTORS or BACKOUT PUNCHES




No.	Bolt Diameter	Use Drill	Drill Depth	Weight per dozen	Price Dozen	Price Each
191X	$\frac{1}{4}$ to $\frac{5}{16}$ "	$\frac{3}{32}$ "	$\frac{3}{16}$ "	1 lb. 3 oz.	\$6.00	\$.50
192X	$\frac{5}{16}$ to $\frac{3}{8}$ "	$\frac{3}{16}$ "	$\frac{3}{16}$ "	1 lb. 3 oz.	6.60	.55
193X	$\frac{3}{8}$ to $\frac{7}{16}$ "	$\frac{1}{4}$ "	$\frac{1}{4}$ "	1 lb. 4 oz.	7.20	.60
194X	$\frac{7}{16}$ to $\frac{1}{2}$ "	$\frac{5}{16}$ "	$\frac{1}{4}$ "	2 lb. 3 oz.	7.80	.65
195X	$\frac{1}{2}$ to $\frac{5}{8}$ "	$\frac{3}{8}$ "	$\frac{5}{16}$ "	2 lb. 3 oz.	8.40	.70
196X	$\frac{5}{8}$ " and up	$\frac{7}{16}$ "	$\frac{5}{16}$ "	2 lb. 6 oz.	9.00	.75

SCREW EXTRACTOR SET

No. 19XX

Numbers 191X, 192X, 193X,
and 194X Screw Extractors,
listed above, are packed in this
convenient wood base hinged
box, an ideal attractive con-
tainer. Unit complete 13 ozs.




No. 19XX Set each \$2.50

SET NO. 19-X SCREW EXTRACTOR SET

This set contains the above
Nos. 191X, 192X, 193X, 194X.

13 oz. per set.



No. 19X Packed twelve in a
box ea. \$2.50



Oldforge

SCREW DRIVERS - - Viscoloid

Amber Transparent—Shock Resisting



BLADES Hammer Forged with Long Gradual Tapers . . .
Accurately heat-treated.

HANDLES . . . Machined with fine flutes around the diameter to in-
sure a positive gripping surface. Shaped from "Pyralin"
shock-resisting plastic. Handles are full-size diameters
(see specifications) with lengths in proportion to give
balance.


No.	Width of Blade	Blade Thickness	Stock Size	Blade Length	Handle Diameter	Handle Length	Per Dozen Weight	Per Dozen Price	Each List
182A	1/8"	.030	1/8"	2 "	3/8"	2 1/8"	8 oz.	\$4.20	\$.35
183A	1/8"	.030	1/8"	3 "	3/8"	2 1/8"	9 oz.	4.80	.40
186A	1/8"	.030	1/8"	6 "	3/8"	2 1/8"	11 oz.	6.60	.55
3163A	7/32"	.032	3/16"	3 "	15/16"	3 1/4"	1 lb. 10 oz.	8.40	.70
3166A	1/4"	.036	3/16"	6 "	15/16"	3 1/4"	2 lb.	10.20	.85
3169A	1/4"	.036	3/16"	9 "	15/16"	3 1/4"	2 lb. 8 oz.	11.40	.95
31614A	1/4"	.038	3/16"	14 "	15/16"	3 1/4"	3 lb. 2 oz.	18.60	1.55
3161A	1/4"	.036	3/16"	1 "	1 1/8"	1 3/4"	1 lb. 4 oz.	6.60	.55
141A	5/16"	.040	1/4"	1 1/4"	1 1/4"	2 1/4"	1 lb. 12 oz.	7.20	.60
144A	5/16"	.040	1/4"	4 "	1 1/8"	3 1/2"	3 lb.	10.80	.90
146A	5/16"	.042	1/4"	6 "	1 1/8"	3 7/8"	3 lb. 10 oz.	11.40	.95
148A	5/16"	.042	1/4"	8 "	1 1/8"	3 7/8"	4 lb.	12.00	1.00
1410A	5/16"	.042	1/4"	10 "	1 1/8"	3 7/8"	4 lb. 10 oz.	12.60	1.05
5162A	3/8"	.046	5/16"	2 "	1 1/8"	3 7/8"	3 lb. 4 oz.	11.40	.95
5166A	7/16"	.046	5/16"	6 "	1 1/8"	3 7/8"	4 lb. 6 oz.	12.60	1.05
5168A	7/16"	.046	5/16"	8 "	1 1/4"	4 1/4"	5 lb. 14 oz.	15.00	1.25
51612A	7/16"	.046	5/16"	12 "	1 1/4"	4 1/4"	7 lb. 2 oz.	15.60	1.30
386A	1/2"	.050	3/8"	6 "	1 1/4"	4 1/4"	6 lb. 2 oz.	16.20	1.35
3810A	9/16"	.050	3/8"	10 "	1 1/4"	4 1/4"	8 lb. 8 oz.	17.40	1.45
3812A	9/16"	.050	3/8"	12 "	1 1/4"	6 "	10 lb. 8 oz.	21.00	1.75
3812AA	9/16"	.050	3/8"	12 "	1 1/4"	4 1/4"	9 lb.	18.00	1.50
3812AAA	3/8"	.056	3/8"	12 "	1 1/4"	4 1/4"	9 lb. 4 oz.	18.00	1.50
3816A	9/16"	.050	3/8"	16 "	1 1/4"	6 "	11 lb. 4 oz.	22.80	1.90

All above sizes except 3816A packed twelve in a box.

Oldforge

SCREW DRIVERS - - Viscoloid

Amber Transparent—Shock Resisting




SET NO. V-4

This kit contains the following
Viscoloid Handled Screw Drivers.
Nos. 146A, 3166A, 3163A, 142A
Weight each set, 13 oz. ea. \$3.50
(Packed 3 sets in a box)


Non-Shock Non-Short SCREW DRIVER

HEAVY DUTY MACHINIST SCREW DRIVER Square Stock




No.	Stock	Lgth.	Weight per doz.	Price Dozen	Price Each
142A	1/4"	2"	2 lb. 4 oz.	\$7.20	\$.60
382A	3/8"	2"	4 lb. 8 oz.	9.60	.80

ROUND SHANK SCREW DRIVER Viscoloid Handle—Round Stock




No.	Stock	Length	Weight per doz.	Price Dozen	Price Each
142RL	1/4"	2"	1 lb. 14 oz.	\$7.20	\$.60
144RL	1/4"	4"	2 lb. 2 oz.	7.80	.65
145RL	1/4"	5"	2 lb. 6 oz.	8.40	.70
5166RL	5/8"	6"	4 lb. 8 oz.	9.60	.80



Extra long Viscoloid Drivers. A new development in Tool
Craft. Long handle, short blade.

No. 189A—1/8 x 1" blade, 3/8 x 8" handle. Weight per
dozen, 1 lb. 10 oz. \$9.00 per doz., each \$.75

ELECTRICIAN'S SCREW DRIVER Round Shank



No.	Blade Lgth.	Stock	Blade Width	Weight per dozen	Price Dozen	Price Each
3RE	3"	3/16"	3/16"	1 lb. 6 oz.	\$7.20	\$.60
6RE	6"	3/16"	3/16"	1 lb. 12 oz.	8.40	.70
9RE	9"	3/16"	3/16"	2 lb. 4 oz.	9.60	.80


SET NO. V-6

This kit contains the
following Viscoloid
Handled Screw Drivers.

Nos. 182A
3161A
3163A
3166A
144A
5168A

No. V-6 weight each 1
lb. 4 oz. Packed
two in a box—

ea. \$5.10





NO. V-101 SCREW DRIVER COUNTER DISPENSER

This profit building counter display and container speeds screw driver sales. 42 attractive screw drivers with amber plastic handles—the five fastest selling sizes—command the attention of the most casual customer. Each size is packed in a separate tray. The trays nest in this durable hinged container. Offer the container as a gift to the buyer of the last screw driver—an acceptable addition to any home workshop.

- 8—No. 182A Pocket Type
- 8—No. 3161A Short Stub-Handled Type
- 8—No. 3163A $\frac{3}{8}$ " x 3" Blade, Standard
- 12—No. 3166A $\frac{3}{8}$ " x 6" Electrical Size
- 8—No. 146A $\frac{1}{4}$ " x 6" Workshop Style

No. V-101 Dispenser

Wt. each $7\frac{1}{2}$ lbs. _____ List each \$30.60

NO. V-1 SCREW DRIVER DISPLAY UNIT OR SHOP WALL SET



This attractive durable Masonite Prestwood Board contains one each of the twelve most desirable sizes. These screw drivers, with Viscoloid plastic handles and hammer forged plated blades, may be detached and sold from the board. The board is 12" by 18". Sizes are shown below.

- No. 182A— $\frac{1}{8}$ " x 2" Blade
- No. 183A— $\frac{1}{8}$ " x 3" Blade
- No. 3163A— $\frac{3}{8}$ " x 3" Blade
- No. 3166A— $\frac{3}{8}$ " x 6" Blade
- No. 3169A— $\frac{3}{8}$ " x 9" Blade
- No. 141A— $\frac{1}{4}$ " x $1\frac{1}{4}$ " Blade

- No. 146A— $\frac{1}{4}$ " x 6" Blade
- No. 1410A— $\frac{1}{4}$ " x 10" Blade
- No. 5166A— $\frac{3}{8}$ " x 6" Blade
- No. 5168A— $\frac{3}{8}$ " x 8" Blade
- No. 51612A— $\frac{3}{8}$ " x 12" Blade
- No. 3812A— $\frac{3}{8}$ " x 12" Blade

No. V-1 Display Unit

Wt. each $5\frac{1}{2}$ lbs. _____ List each \$12.75

*—Net \$1.50 for Board Only if ordered without the tools.

CARBURETOR JET SCREW DRIVERS



Viscoloid Handle. Full Plated straight side bit. A slight knock will set the driver in slot. Necessary on all Chevrolets and other cars.

No. 3RE $\frac{3}{16}$ x 3 Blade


$\frac{3}{16}$ " Width of Point

Wt. per doz. 1 lb. 6 oz.

Price per doz. \$7.20 ea. \$.60



PHILLIPS TYPE VISCOLOID AND WOOD HANDLED SCREW DRIVERS



Viscoloid Handles—Alloy Blades


No. Cat.	Size Point	Blade	Dozen Wt. per	Dozen Price	Each Price
1A	No. 1	$\frac{1}{8}$ " x 3 "	$1\frac{1}{4}$ lbs.	\$8.40	\$.70
1AA	No. 2	$\frac{1}{4}$ " x $1\frac{1}{2}$ "	$1\frac{1}{2}$ lbs.	7.20	.60
2A	No. 2	$\frac{1}{4}$ " x 4 "	$2\frac{1}{4}$ lbs.	10.20	.85
3A	No. 3	$\frac{3}{8}$ " x 6 "	$3\frac{3}{4}$ lbs.	13.20	1.10
4A	No. 4	$\frac{3}{8}$ " x 8 "	6 lbs.	15.00	1.25

Wood Handles—Alloy Blades

No. Cat.	Size Point	Blade	Dozen Wt. per	Dozen Price	Each Price
C141	No. 1	$\frac{1}{8}$ " x 1 "	$\frac{3}{4}$ lbs.	\$6.00	\$.50
C142	No. 2	$\frac{1}{4}$ " x $1\frac{1}{2}$ "	$1\frac{1}{4}$ lbs.	6.00	.50
C143	No. 1	$\frac{1}{8}$ " x 3 "	$1\frac{1}{4}$ lbs.	6.00	.50
C144	No. 2	$\frac{1}{4}$ " x 4 "	$2\frac{1}{2}$ lbs.	6.60	.55
C145	No. 3	$\frac{3}{8}$ " x 6 "	$2\frac{1}{2}$ lbs.	7.80	.65
C146	No. 4	$\frac{3}{8}$ " x 8 "	$7\frac{1}{4}$ lbs.	10.80	.90

Oldforge

SCREW DRIVERS - - Wood Handled




BLADES Hammer forged—Square alloy steel.

HANDLES . . . White shellacked clear Northern Maine Birch—Octagon Palm-Fitting Grip. The blade is securely inserted in handle and held intact with a heavy all-steel ferrule. No metal touches the hand as the shank end of the blade is inserted only partially into the overall depth of the handle.

No.	Width of Blade	Blade Thickness	Stock Size	Blade Length	Handle Diameter	Handle Length	Per Dozen Weight	Per Dozen Price	Each List
3163X	$\frac{7}{32}$ "	.032	$\frac{3}{16}$ "	3 "	$\frac{15}{16}$ "	4 $\frac{1}{4}$ "	1 lb. 8 oz.	\$4.20	\$.35
3166X	$\frac{1}{4}$ "	.036	$\frac{3}{16}$ "	6 "	$\frac{15}{16}$ "	4 $\frac{1}{4}$ "	1 lb. 14 oz.	5.40	.45
3169X	$\frac{1}{4}$ "	.036	$\frac{3}{16}$ "	9 "	$\frac{15}{16}$ "	4 $\frac{1}{4}$ "	2 lb. 6 oz.	6.00	.50
31614X	$\frac{1}{4}$ "	.036	$\frac{3}{16}$ "	14 "	$\frac{15}{16}$ "	4 $\frac{1}{4}$ "	2 lb. 12 oz.	10.80	.90
142X	$\frac{5}{16}$ "	.040	$\frac{1}{4}$ "	1 $\frac{1}{4}$ "	1 $\frac{5}{16}$ "	2 $\frac{11}{16}$ "	2 lb. 4 oz.	4.20	.35
144X	$\frac{5}{16}$ "	.040	$\frac{1}{4}$ "	4 "	1 $\frac{1}{8}$ "	5 "	2 lb. 12 oz.	6.00	.50
146X	$\frac{5}{16}$ "	.042	$\frac{1}{4}$ "	6 "	1 $\frac{1}{8}$ "	5 "	3 lb. 4 oz.	6.00	.50
148X	$\frac{5}{16}$ "	.042	$\frac{1}{4}$ "	8 "	1 $\frac{1}{8}$ "	5 "	3 lb. 10 oz.	6.60	.55
1410X	$\frac{5}{16}$ "	.042	$\frac{1}{4}$ "	10 "	1 $\frac{1}{8}$ "	5 "	4 lb.	6.60	.55
1424X	$\frac{5}{16}$ "	.042	$\frac{1}{4}$ "	24 "	1 $\frac{1}{8}$ "	5 "	6 lb. 4 oz.	15.00	1.25
5162X	$\frac{3}{8}$ "	.046	$\frac{5}{16}$ "	2 "	1 $\frac{1}{4}$ "	5 $\frac{1}{2}$ "	3 lb.	6.00	.50
5166X	$\frac{7}{16}$ "	.046	$\frac{5}{16}$ "	6 "	1 $\frac{1}{4}$ "	5 $\frac{1}{2}$ "	4 lb. 6 oz.	7.20	.60
5168X	$\frac{7}{16}$ "	.046	$\frac{5}{16}$ "	8 "	1 $\frac{1}{4}$ "	5 $\frac{1}{2}$ "	5 lb. 8 oz.	8.40	.70
51612X	$\frac{7}{16}$ "	.046	$\frac{5}{16}$ "	12 "	1 $\frac{1}{4}$ "	5 $\frac{1}{2}$ "	7 lb.	8.40	.70
386X	$\frac{1}{2}$ "	.050	$\frac{3}{8}$ "	6 "	1 $\frac{5}{16}$ "	6 "	6 lb. 6 oz.	8.40	.70
3810X	$\frac{9}{16}$ "	.050	$\frac{3}{8}$ "	10 "	1 $\frac{5}{16}$ "	6 "	8 lb.	9.60	.80
3812X	$\frac{9}{16}$ "	.050	$\frac{3}{8}$ "	12 "	1 $\frac{5}{16}$ "	6 "	9 lb. 4 oz.	9.60	.80
3816X	$\frac{9}{16}$ "	.050	$\frac{3}{8}$ "	16 "	1 $\frac{5}{16}$ "	6 "	10 lb. 2 oz.	10.80	.90

All above sizes except Nos. 3816X and 1424X packed twelve in a box.

NO. W-1 DISPLAY BOARD



No. W-1 Display

This attractive durable display unit contains one each of the Wood Handled screw drivers listed below. It is built of Masonite Prestwood—12" x 18" outside dimensions.


No.	Stock Size	Blade Length	No.	Stock Size	Blade Length
3163X	$\frac{3}{16}$ "	3"	1410X	$\frac{1}{4}$ "	10"
3166X	$\frac{3}{16}$ "	6"	5166X	$\frac{5}{16}$ "	6"
3169X	$\frac{3}{16}$ "	9"	51612X	$\frac{5}{16}$ "	12"
142X	$\frac{1}{4}$ " stub	1 $\frac{1}{2}$ "	386X	$\frac{3}{8}$ "	6"
146X	$\frac{1}{4}$ "	6"	3812X	$\frac{3}{8}$ "	12"

No. W-1 Display 10 Screw Drivers on Board, Wt. 4 $\frac{1}{2}$ lbs. Each \$6.75

* Net \$1.50 for board only if ordered without tools.

PUNCHES - Tapered

PUNCHES, Center



No.	Stock	Lgth.	Weight per dozen	Price Dozen	Price Each
77B	$\frac{5}{16}$ "	4"	14 oz.	\$3.00	\$.25
77A	$\frac{3}{8}$ "	4½"	1 lb. 8 oz.	3.60	.30
77C	$\frac{1}{2}$ "	5"	3 lb. oz.	4.80	.40
77	$\frac{5}{8}$ "	6"	5 lb. 12 oz.	6.00	.50

PUNCHES, Prick



No.	Stock	Lgth.	Weight per dozen	Price Dozen	Price Each
77P	$\frac{3}{8}$ "	5"	1 lb. 10 oz.	\$4.20	\$.35

ALIGNMENT or DRIFT BARS




No.	Stock	Width Point	Lgth.	Weight per dozen	Price Dozen	Price Each
P86B	$\frac{3}{8}$ "	$\frac{3}{16}$ "	12"	3 lb. 12 oz.	\$12.00	\$1.00
P86A	$\frac{1}{2}$ "	$\frac{3}{8}$ "	14"	7 lb. 8 oz.	13.80	1.15
P86	$\frac{5}{8}$ "	$\frac{1}{4}$ "	16"	12 lb. 12 oz.	15.60	1.30

PUNCHES, Heavy Duty Taper


No.	Stock	Lgth.	Pt.	Taper	Wght. Doz.	Price Dozen	Price Each
P91	$\frac{3}{4}$ "	10"	$\frac{3}{8}$ "	5"	12 lb.	\$10.80	\$.90
P92	$\frac{3}{4}$ "	16"	$\frac{3}{8}$ "	5"	20 lb.	16.80	1.40
P93	$\frac{3}{4}$ "	10"	$\frac{1}{2}$ "	2½"	14 lb.	10.80	.90
P94	$\frac{3}{4}$ "	18"	$\frac{1}{2}$ "	10"	22 lb.	18.00	1.50

PUNCHES, Solid Drive




No.	Stock	Lgth.	Weight per dozen	Price Dozen	Price Each
80— $\frac{1}{8}$ "	$\frac{5}{16}$ "	4"	9 oz.	\$3.00	\$.25
80— $\frac{3}{16}$ "	$\frac{3}{8}$ "	4"	1 lb. 5 oz.	3.60	.30
80— $\frac{1}{4}$ "	$\frac{3}{8}$ "	4"	1 lb. 6 oz.	3.60	.30
80— $\frac{5}{16}$ "	$\frac{1}{2}$ "	4"	2 lb. 6 oz.	4.80	.40
80— $\frac{3}{8}$ "	$\frac{1}{2}$ "	4"	2 lb. 6 oz.	4.80	.40

PUNCHES, Short Taper




No.	Stock	Lgth.	Pt.	Weight per dozen	Price Dozen	Price Each
P89X	$\frac{3}{8}$ "	5"	$\frac{3}{16}$ "	1 lb. 9 oz.	\$4.20	\$.35
P89AA	$\frac{3}{8}$ "	5½"	$\frac{1}{16}$ "	1 lb. 12 oz.	4.20	.35
P84AA	$\frac{1}{2}$ "	6"	$\frac{3}{32}$ "	3 lb. 2 oz.	5.40	.45
P84AAA	$\frac{1}{2}$ "	6½"	$\frac{1}{8}$ "	3 lb. 5 oz.	5.40	.45
P88	$\frac{1}{2}$ "	6"	$\frac{1}{4}$ "	3 lb. 8 oz.	6.00	.50
P87	$\frac{3}{8}$ "	7"	$\frac{5}{16}$ "	6 lb. 5 oz.	8.40	.70

SHORT TAPER PUNCH SET NO. DP-4




This set contains the following Punches.
P87 Short Taper Punch
P88 Short Taper Punch
P89X Short Taper Punch
No. 80— $\frac{1}{8}$ " Solid Drive Punch
No. DP-4 Set in kit ea. \$2.10
Weight each, 1 lb. 2 oz. Six kits in a box.

PUNCHES, Long Taper



No.	Stock	Lgth.	Point	Weight per dozen	Price Dozen	Price Each
P89B	$\frac{1}{4}$ "	6"	$\frac{1}{8}$ "	12 oz.	\$4.20	\$.35
P89A	$\frac{5}{16}$ "	4½"	$\frac{1}{16}$ "	12 oz.	3.60	.30
P89	$\frac{1}{8}$ "	6"	$\frac{1}{8}$ "	1 lb. 3 oz.	4.20	.35
P85A	$\frac{3}{8}$ "	7½"	$\frac{5}{32}$ "	2 lb. 2 oz.	5.40	.45
P85	$\frac{3}{8}$ "	8"	$\frac{1}{16}$ "	2 lb. 12 oz.	5.40	.45
P84	$\frac{1}{2}$ "	8½"	$\frac{3}{32}$ "	4 lb. 6 oz.	7.20	.60
P83	$\frac{5}{8}$ "	11"	$\frac{1}{4}$ "	10 lb. 14 oz.	10.80	.90

LONG TAPER PUNCH SET NO. DP-5



Contains the following Punches:

P89B Taper Punch
P89 Taper Punch
P85A Taper Punch
P85 Taper Punch
P84 Taper Punch

No. DP-5 set in kit ea. \$2.55
Weight each, 1 lb. 4 oz., packed four kits in box.

Oldforge


STREAM-LINED FLAT CHISELS

Modern, New Type, Fast Cutting, Durable

This long-reach, thin-bladed chisel makes it accessible in close quarters. The blade edge is ground with a curve bevel and should be dressed with a file.



No.	Stock	Lgth.	Cut	Weight per doz.	Price Dozen	Price Each
CA31	3/8"	6 1/2"	3/8"	2 lb.	\$5.40	\$.45
CA32	1/2"	7 "	1/2"	3 lb. 8 oz.	6.60	.55
CA33	5/8"	8 "	5/8"	6 lb. 10 oz.	9.00	.75
CA34	3/4"	9 "	3/4"	10 lb. 3 oz.	13.20	1.10




NO. CA-4 SET IN KIT

CA31—3/8" x 6 1/2"
CA32—1/2" x 7 "
CA33—5/8" x 8 "
CA34—3/4" x 9 "

No. CA4 Set of four above
tools.....ea. \$3.20

Weight each, 1 lb. 15 oz. Pack-
ed four in a box.

BARS, Pulling, Rolling Head




No.	Stock	Width	Lgth.	Weight per doz.	Price Dozen	Price Each
74B	1/2"	1/2"	15"	9 lb.	\$15.00	\$1.25
75B	5/8"	5/8"	18"	16 lb. 10 oz.	19.20	1.60

BARS, Pry, Jimmy, Pinch




No.	Stock	Width	Lgth.	Weight per doz.	Price Dozen	Price Each
74	1/2"	5/8"	12"	7 lb.	\$12.00	\$1.00
75	3/8"	7/8"	16"	13 lb.	14.40	1.20
75A	3/4"	1 1/8"	20"	25 lb. 8 oz.	19.20	1.60
76	3/4"	3/4"	24"	33 lb. 8 oz.	24.00	2.00
76A	3/4"	1 1/8"	26"	37 lb. 8 oz.	25.20	2.10

PUNCHES Standard Drive Pin



No.	Stock	Overall Length	Pin Lgth.	Weight per doz.	Price Dozen	Price Each
50—5/32"	5/16"	4"	1 1/8"	1 lb.	\$3.00	\$.25
50—1/8"	5/16"	4"	3/4"	1 lb.	3.00	.25
50—3/16"	5/16"	4"	1 3/8"	1 lb.	3.00	.25
50—1/4"	5/16"	4"	1 5/8"	1 lb.	3.00	.25
50—5/16"	5/16"	4"	1 7/8"	1 lb. 2 oz.	3.60	.30
50—3/8"	5/16"	4"	1"	1 lb. 6 oz.	3.60	.30
50—1/2"	5/16"	4"	1"	1 lb. 6 oz.	3.60	.30
50—5/8"	5/16"	4"	1"	1 lb. 14 oz.	4.80	.40

Show Point Sizes When Ordering



MIDGET DRIVE PIN and CENTER PUNCH SET NO. VP-5

Contains the following Pin, Taper,
and Center Punches


No. 50—3/32" Pin Punch
50—1/8" Pin Punch
50—3/16" Pin Punch
77B Center Punch
P89A Taper Punch

No. VP-5 Set above tools in kit.....ea. \$1.60
Weight each, 8 oz. Packed twelve in box.

PUNCHES, Extra Long Drive Pin



No.	Width Point	Stock	Overall Length	Weight per doz.	Price Dozen	Price Each
P51	5/32"	5/16"	6 "	1 lb. 8 oz.	\$4.80	\$.40
P51A	3/8"	3/8"	6 1/2"	1 lb. 14 oz.	4.80	.40
P55	7/32"	3/8"	7 "	2 lb. 2 oz.	5.40	.45
P52	1/4"	3/8"	7 "	2 lb. 4 oz.	5.40	.45
P53	1/8"	1/2"	7 1/2"	4 lb. 8 oz.	7.20	.60
P54	3/8"	1/2"	7 3/4"	4 lb. 12 oz.	7.20	.60



COMPLETE DRIVE PIN PUNCH SET NO. PP-6

Contains Nos. P51, P51A, P55,
P52, P53, and P54

No. PP-6 Set in kit.....ea. \$3.20

Weight per set, 1 lb. 8 oz., packed
four in a box.

Oldforge

NO. CP-1 CHISEL PUNCH DISPLAY and MECHANICS WALL SET

Twenty nine essential tools on durable masonite board 12" x 18". Quick release clips hold each tool securely.

Nos. 30, 31, 32, 33, 34 Cold Chisels
131, 131A, 132 Cape Chisels
230 and 231 Gouge Chisels
331A and 332 Diamond Point Chisels
No. 50-3/32, No. 50-1/8, No. 50-5/32 Pin Punches
P51, P51A, P55, P52, P53, P54 Pin Punches
P89A, P88, P85, P84, P83, P87, P89X Taper Punches
77A Center Punch




No. CP-1 Display

No. CP-1 Wt. 9 lbs. _____ List ea. \$14.80

* Net \$1.50 for board only if ordered without tools.

OLDFORGE "SAMPLER" SET IN KIT CONTAINS:

1/4 x 3 Plastic Handled Screw Driver
1/4 x 4 1/2 Offset Screw Driver
3/8 x 5 3/4 Gouge Chisel
3/8 x 5 Short Taper Punch
3/8 x 4 1/2 Center Punch
3/8 x 6 Diamond Point Chisel
3/8 x 8 Long Taper Punch
3/8 x 7 Pin Punch
3/8 x 5 3/4 Cold Chisel
5/16 x 4 Pin Punch




Sampler Set No. 100

No. 100—Wt. ea. 1 1-4 lb.,


Packed 4 in box ea. \$3.80

OFFSET SCREW DRIVERS Carefully Ground and Heat-Treated



47-A SET

No.	Lgth.	Blade Width	Blade Thickness	Stock	Weight Per Dozen	Price Dozen	Price Each
4	4 "	$\frac{5}{16}$ "	.030	$\frac{3}{16}$ "	12 oz.	\$6.00	\$.50
5	4 1/2 "	$\frac{3}{8}$ "	.038	$\frac{1}{4}$ "	2 lb. 12 oz.	6.60	.55
6	5 1/2 "	$\frac{1}{2}$ "	.045	$\frac{5}{16}$ "	3 lb.	7.20	.60
7	6 1/2 "	$\frac{3}{8}$ "	.060	$\frac{3}{8}$ "	5 lb. 4 oz.	7.80	.65



No. 47A—Set above four tools in case. Wt. each 1 lb. Packed six in a box. Ea. \$2.50

Oldforge CHISELS

The name **OLDFORGE** to many of the world's largest industrial concerns, means a chisel of the highest possible quality. For years we have been perfecting chisels for use under constant pounding and vibration of the pneumatic chipping hammer. 400 blows a minute set up unusual strains on the grain of chisels. The most exacting purchasers in the world's markets have proclaimed and recommended the **OLDFORGE** chisel and have rewarded our efforts with their orders for all tools that must stand the driving punishment of industry. Our experience in building power-tools has enabled us to offer you the same strength and quality in the following hand chisels.

CHISELS, Hand, Cold, Plated



No.	Stock	Cut	Length.	Weight per doz.	Price Dozen	Price Each
30A	1/4"	1/4"	4 3/4"	12 oz.	\$3.00	\$.25
30	5/16"	3/8"	5 "	1 lb.	3.60	.30
31	3/8"	1/2"	5 3/4"	2 lb.	4.20	.35
32	1/2"	5/8"	6 "	3 lb. 8 oz.	4.80	.40
33	5/8"	3/4"	7 "	6 lb. 8 oz.	6.00	.50
*33A	5/8"	3/4"	8 "	7 lb. 10 oz.	7.20	.60
34	3/4"	7/8"	7 1/2"	9 lb. 10 oz.	9.60	.80
35	3/4"	7/8"	14 "	22 lb.	13.80	1.15
36	7/8"	1 "	8 "	16 lb.	12.00	1.00
*36A	1 "	1 1/8"	8 1/2"	16 lb.	14.40	1.20
37	7/8"	1 "	18 "	36 lb. 12 oz.	16.20	1.35
37A	7/8"	1 "	24 "	48 lb.	21.60	1.80

*Not in stock—Made on Special Order

CHISELS, Hand, Cold, Black Finish



No.	Stock	Cut	Lgth.	Weight per doz.	Price Dozen	Price Each
B31	3/8"	1/2 "	5 3/4"	2 lb.	\$3.60	\$3.30
B32	1/2 "	5/8 "	6 "	3 lb. 8 oz.	4.20	.35
B33	5/8"	3/4 "	7 "	6 lb. 8 oz.	5.40	.45
B34	3/4"	7/8 "	7 1/2"	9 lb. 10 oz.	9.00	.75
B35	3/4"	7/8 "	14 "	22 lb.	13.20	1.10
B36	7/8"	1 "	8 "	16 lb.	10.80	.90
B36A	1 "	1 1/8 "	8 1/2"	16 lb.	14.40	1.20
B37	7/8"	1 "	18 "	36 lb. 12 oz.	16.20	1.35
B37A	7/8"	1 "	24 "	48 lb.	21.60	1.80

CHISELS, Hand, Cape



No.	Stock	Cut	Lgth.	Weight per doz.	Price Dozen	Price Each
131A	$\frac{5}{16}$ "	$\frac{7}{32}$ "	5 "	1 lb. 4 oz.	\$4.20	\$.35
131	$\frac{3}{8}$ "	$\frac{5}{16}$ "	5 $\frac{3}{4}$ "	2 lb. 2 oz.	4.80	.40
*132A	$\frac{1}{2}$ "	$\frac{1}{4}$ "	6 "	3 lb. 12 oz.	6.00	.50
*132B	$\frac{1}{2}$ "	$\frac{5}{16}$ "	6 "	4 lb. 6 oz.	6.00	.50
132	$\frac{1}{2}$ "	$\frac{3}{8}$ "	6 "	4 lb. 6 oz.	6.00	.50
133	$\frac{5}{8}$ "	$\frac{1}{4}$ "	6 "	6 lb.	7.80	.65
*133A	$\frac{5}{8}$ "	$\frac{3}{8}$ "	7 "	6 lb. 12 oz.	9.00	.75
*133B	$\frac{5}{8}$ "	$\frac{1}{2}$ "	7 "	6 lb. 12 oz.	9.00	.75
*134	$\frac{3}{4}$ "	$\frac{3}{8}$ "	7 $\frac{1}{2}$ "	9 lb. 8 oz.	12.00	1.00
134A	$\frac{3}{4}$ "	$\frac{1}{2}$ "	7 $\frac{1}{2}$ "	9 lb. 12 oz.	13.20	1.10

*Not in stock—Made on Special Order

CHISELS, Hand, Gouge



No.	Stock	Cut	Length	Weight per doz.	Price Dozen	Price Each
230	$\frac{5}{16}$ "	$\frac{7}{32}$ "	5 "	1 lb. 4 oz.	\$4.20	\$.35
231	$\frac{3}{8}$ "	$\frac{1}{4}$ "	5 $\frac{3}{4}$ "	2 lb. 2 oz.	4.80	.40
231B	$\frac{3}{8}$ "	$\frac{5}{16}$ "	5 $\frac{3}{4}$ "	2 lb. 2 oz.	4.80	.40
232	$\frac{1}{2}$ "	$\frac{3}{8}$ "	6 "	4 lb. 6 oz.	6.00	.50
*233A	$\frac{5}{8}$ "	$\frac{1}{4}$ "	7 "	6 lb.	9.00	.75
233B	$\frac{5}{8}$ "	$\frac{1}{2}$ "	7 "	6 lb. 4 oz.	9.00	.75
*234	$\frac{3}{4}$ "	$\frac{5}{16}$ "	7 $\frac{1}{2}$ "	9 lb.	12.00	1.00
*234A	$\frac{3}{4}$ "	$\frac{3}{8}$ "	7 $\frac{1}{2}$ "	9 lb. 8 oz.	12.00	1.00
*234B	$\frac{3}{4}$ "	$\frac{1}{2}$ "	7 $\frac{1}{2}$ "	9 lb. 8 oz.	13.20	1.10
*234C	1 "	$\frac{3}{4}$ "	7 "	12 lb.	15.60	1.30

*Not in stock—Made on Special Order

DIAMOND POINT CHISELS



331A	$\frac{5}{16}$ "	$\frac{1}{8}$ "	5 "	2 lb.	\$3.60	\$3.30
331	$\frac{3}{8}$ "	$\frac{3}{16}$ "	6 "	2 lb. 6 oz.	4.20	.35
332	$\frac{1}{2}$ "	$\frac{1}{4}$ "	6 "	3 lb. 6 oz.	4.80	.40
333	$\frac{7}{8}$ "	$\frac{1}{4}$ "	6 "	5 lb.	6.00	.50
*333A	$\frac{5}{8}$ "	$\frac{1}{4}$ "	7 "	6 lb. 6 oz.	7.20	.60
334	$\frac{3}{4}$ "	$\frac{3}{8}$ "	6 "	8 lb.	7.20	.60
*334A	$\frac{3}{4}$ "	$\frac{1}{2}$ "	6 "	8 lb. 8 oz.	9.00	.75
*334B	$\frac{3}{4}$ "	$\frac{3}{16}$ "	7 $\frac{1}{2}$ "	10 lb. 8 oz.	9.60	.80

*Not in stock—Made on Special Order


RIVET BUSTERS




The OLDFORGE shearing chisel should be used for cutting rivet heads, bolts, etc. It is slightly offset and cutting edge ground to a one sided bevel for fast cutting.

No.	Stock	Cut	Lgth.	Weight per doz.	Price Dozen	Price Each
C38	¾"	⅞"	10"	14 lb. 6 oz.	\$12.00	\$1.00
	No. C38—Zinc Plated					
C39	¾"	⅞"	14"	20 lb. 4 oz.	16.80	1.40
	No. C39—Black Finish					

CHISELS, Wood, All Steel



No.	Stock	Cut	Lgth.	Weight per doz.	Price Dozen	Price Each
C22	1/2"	1/2"	10"	5 lb. 3 oz.	\$ 8.40	\$.70
C23	3/8"	3/4"	10"	8 lb. 6 oz.	10.20	.85
C24	3/8"	1 "	10"	9 lb. 6 oz.	12.00	1.00



COLD CHISEL SET C-4

No. 31 3/8" x 5 3/4" x 1/2"
 32 1/2" x 6 " x 3/8"
 33 3/8" x 7 " x 3/4"
 34 3/4" x 7 1/2" x 7/8"

No. C-4 Chisel Set in Kit... ea. \$2.25
 Wt. each 3 lb. 8 oz.


Packed four sets in a box.

Tested and approved by Popular Science Testing
 Laboratorie.

OLDFORGE Chisels may be driven through cold
 rolled steel without damage to blade.


- Perfect Balance
- Full Length
- Long Taper
- Keen Cutting
- Accurate
Tempering

RIPPING CHISEL



No. R-114 3/8" x 12" x 1 1/4" bit 9 lb. 8 oz. per doz. \$14.40
 ea. \$1.20

14-PIECE MECHANIC'S SET NO. CP-14



This set contains the following chisels and punches:

No.	Stock	Lgth.	Cut or Pt. Size	Tool
31	3/8"	5 3/4"	1/2"	Cold Chisel
32	1/2"	6 "	5/8"	Cold Chisel
33	5/8"	7 "	3/4"	Cold Chisel
34	3/4"	7 1/2"	7/8"	Cold Chisel
332	1/2"	6 "	1/4"	Diamond Point
131	3/8"	5 3/4"	5/16"	Cape Chisel
132	1/2"	6 "	3/8"	Cape Chisel
231	3/8"	5 3/4"	1/4"	Gouge Chisel
P84	1/2"	8 1/2"	7/32"	Long Taper Punch
P89	5/16"	6 "	1/8"	Long Taper Punch
P87	3/8"	7 "	5/16"	Solid Punch
77A	3/8"	4 1/2"		Center Punch
P51A	3/8"	6 1/2"	3/16"	Pin Punch
P52	3/8"	7 "	1/4"	Pin Punch


No. CP-14 Set Complete in Kit... ea. \$7.15
 Weight each, 4 lb. 8 oz. Packed one in a box.

PNEUMATIC CHIPPING CHISELS CHISELS, Standard Hex Shank



No.	Stock	Lgth.	Weight per doz.	Price Dozen	Price Each
9	3/4"	9"	12 lb.	\$14.40	\$1.20

PNEUMATIC CHIPPING BLANK



No.	Stock	Lgth.	Weight per doz.	Price Dozen	Price Each
8	3/4"	8"	12 lb.	\$10.80	\$.90

INDUSTRY—


Although we have offered Pneumatic Chisels to some of the largest industries since 1924 and catalogue them separately, we now offer all our distributors this type tool, for it is an "entry" tool into many Industrial firms who also use hand tools. This field is large and growing larger. OLDFORGE pneumatic chisels come with a FORGED shank and are stronger.

President McKinley's Father
Built an
Oldforge

The man who built into his son the character that made him President, made quality metals. When the President, yet a boy, tramped the hills of New Wilmington, his father built a furnace and smelted iron of unusual quality. Into the iron, as well as the boy, were infused such quality, such strength, that they merited the confidence and good will of a nation.

The memory of William McKinley and the ruins of his father's furnace linger today as monuments of strength to men and metals. Today, in the shadow of the McKinley furnace, Oldforge tools are forged and treated by master toolsmiths. Super-quality is the result, and is offered to the critical tests of experts.

Tested and Approved by
POPULAR SCIENCE TESTING LABORATORIES



QUALITY TOOLS CORPORATION

NEW WILMINGTON, PA.

SAN FRANCISCO OFFICE
116 NEW MONTGOMERY ST.
PHONE YUKON 2030

NEW YORK OFFICE
11 WARREN STREET
PHONE WOrth 2-3640

Old Forge

REG. U. S. PATENT OFFICE

TOOLS

CATALOGUE No. 46-A

Fine Tools

For

Industry

Air and Land Motors

Electrical

Radio

Refrigeration

QUALITY TOOLS CORPORATION

"Masters In Tool Craft"

NEW WILMINGTON, PA.

PRINTED IN U. S. A.